WHAT IS CLAIMED IS:

- 1 1. An isolated nucleic acid encoding a polypeptide comprising the amino acid
- 2 sequence of SEQ ID NO:45, wherein said polypeptide acts enzymatically as an enoyl
- 3 reductase and binds a flavin prosthetic group.
- 1 2. The isolated nucleic acid of Claim 1 wherein the polypeptide is a bacterial
- 2 enzyme or an active fragment of the bacterial enzyme.
- 1 3. The isolated nucleic acid of Claim 2 wherein the bacterial enzyme has an
- 2 amino acid sequence selected from the group consisting of SEQ ID NO:2, SEQ ID
- NO:2 comprising a conservative amino acid substitution, SEQ ID NO:4, SEQ ID
- 4 NO:4 comprising a conservative amino acid substitution, SEQ ID NO:6, SEQ ID
- 5 NO:6 comprising a conservative amino acid substitution, SEQ ID NO:10, SEQ ID
- 6 NO:10 comprising a conservative amino acid substitution, SEQ ID NO:12, SEQ ID
- 7 NO:12 comprising a conservative amino acid substitution, SEQ ID NO:14, SEQ ID
- 8 NO:14 comprising a conservative amino acid substitution, SEQ ID NO:16, SEQ ID
- 9 NO:16 comprising a conservative amino acid substitution, SEQ ID NO:18, SEQ ID
- 10 NO:18 comprising a conservative amino acid substitution, SEQ ID NO:20, and SEQ
- 11 ID NO:20 comprising a conservative amino acid substitution
- 1 4. The isolated nucleic acid of Claim 3 comprising a nucleotide sequence
- 2 selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5,
- 3 SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, and
- 4 SEQ ID NO:19.
- 1 5. An isolated nucleic acid that hybridizes under standard hybridization
- 2 conditions to a cDNA comprising the nucleotide sequence selected from the group
- 3 consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:9, SEQ ID
- 4 NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, and SEQ ID NO:19.
- 1 6. A recombinant DNA molecule that consists of the isolated nucleic acid of

- 2 Claim 1 and a heterologous nucleotide sequence.
- 1 7. A recombinant DNA molecule that is operatively linked to an expression
- 2 control sequence, wherein the recombinant DNA comprises the isolated nucleic acid
- 3 of Claim 1.
- 1 8. An expression vector containing the recombinant DNA of Claim 6.
- 1 9. A cell comprising the expression vector of Claim 7.
- 1 10. A method of expressing a recombinant polypeptide in the cell of Claim 8
- 2 comprising culturing the cell in an appropriate cell culture medium under conditions
- 3 that provide for expression of the polypeptide by the cell, wherein said recombinant
- 4 polypeptide comprises the amino acid sequence of SEQ ID NO:45, can bind a flavin
- 5 prosthetic group and can act enzymatically as an enoyl reductase.
- 1 1 L. The method of Claim 9 further comprising the step of purifying the
- 2 recombinant polypeptide.
- 1 12. The recombinant polypeptide purified by the method of Claim 11.
- 1 13. A nucleic acid comprising a polypeptide that has at least 80% identity with a
- 2 bacterial enzyme comprising an amino acid sequence selected from the group
- 3 consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:10, SEQ ID
- 4 NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, and SEQ ID NO:20;
- 5 wherein said polypeptide binds a flavin prosthetic group and has enoyl reductase
- 6 activity.
- 1 14. A nucleic acid comprising a polypeptide that comprises at least 12 consecutive
- 2 amino acids of a bacterial enzyme that has an amino acid sequence selected from the
- 3 group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:10,
- 4 SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, and SEQ ID

- 5 NO:20; wherein said polypetide binds a flavin prosthetic group and has enoyl
- 6 reductase activity.
- 1 15. An isolated polypeptide comprising the amino acid sequence of SEQ ID
- NO:45, wherein said polypeptide acts enzymatically as an enoyl reductase and binds a
- 3 flavin prosthetic group; and wherein said polypeptide is not a yeast enzyme.
- 1 16. The polypeptide of Claim 15 that is a bacterial enzyme or an active fragment
- 2 of the bacterial enzyme.
- 1 17. The bacterial enzyme of Claim 15 that has an amino acid sequence selected
- 2 from the group consisting of SEQ ID NO:2, SEQ ID NO:2 comprising a conservative
- amino acid substitution, SEQ ID NO:4, SEQ ID NO:4 comprising a conservative
- 4 amino acid substitution, SEQ ID NO:6, SEQ ID NO:6 comprising a conservative
- amino acid substitution, SEQ ID NO:10, SEQ ID NO:10 comprising a conservative
- 6 amino acid substitution, SEQ ID NO:12, SEQ ID NO:12 comprising a conservative
- 7 amino acid substitution, SEQ ID NO:14, SEQ ID NO:14 comprising a conservative
- 8 amino acid substitution, SEQ ID NO:16, SEQ ID NO:16 comprising a conservative
- 9 amino acid substitution, SEQ ID NO:18, SEQ ID NO:18 comprising a conservative
- amino acid substitution, SEQ ID NO:20, and SEQ ID NO:20 comprising a
- 11 conservative amino acid substitution.
- 1 18. A polypeptide that has at least 80% identity with a bacterial enzyme
- 2 comprising an amino acid sequence selected from the group consisting of SEQ ID
- 3 NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:12, SEQ ID
- 4 NO:14, SEQ ID NO:16, SEQ ID NO:18, and SEQ ID NO:20; wherein said polypetide
- 5 binds a flavin prosthetic group and has enoyl reductase activity.
- 1 19. A fusion protein comprising the polypeptide of Claim 15.
- 1 20. A polypeptide comprising at least 12 consecutive amino acids of a bacterial

- 2 enzyme that has an amino acid sequence selected from the group consisting of SEQ
- 3 ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ IDNO:8, SEQ ID NO:10, SEQ ID
- 4 NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, and SEQ ID NO:20.
- 1 21. An antigenic fragment of a bacterial enzyme that has an amino acid sequence
- 2 selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6,
- 3 SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18,
- 4 and SEQ ID NO:20.
- 1 22. A fusion protein comprising the antigenic fragment of Claim 21.
- 1 23. An antigenic fragment of a peptide that has an amino acid sequence selected
- 2 from the group consisting of SEQ ID NO:46 or SEQ ID NO:46 comprising a
- 3 conservative amino acid substitution.
- 1 24. A fusion protein comprising the antigenic fragment of Claim 23.
- 1 25. A vaccine comprising the antigenic fragment of Claim 23.
- 1 26. An antibody to the antigenic fragment of Claim 23.
- 1 27. The antibody of Claim 26 that is a monoclonal antibody.
- 1 28. The antibody of Claim 27 that is a chimeric antibody.
- 1 29. An immortal cell line that produces a monoclonal antibody of Claim 27.
- 1 30. An antibody to the polypeptide of Claim 15.
- 1 31. A method for identifying an agent that can modulate the enzymatic activity of
- 2 an enoyl reductase comprising:
- 3 (a) measuring the enzymatic activity of an enoyl reductase or active

A STATE OF

- 4 fragment thereof in the presence and absence of a compound; wherein said enoyl
- 5 reductase comprises the amino acid sequence of SEQ ID NO:45 and a flavin
- 6 prosthetic group, or the amino acid sequence of SEQ ID NO:57; and
- 7 (b) identifying the compound as an agent that modulates the enzymatic
- 8 activity of an enoyl reductase when the enzymatic activity measured in step (a) is
- 9 different in the presence of the compound relative to in the absence of the compound.
- 1 32. The method of Claim 31 wherein the enzymatic activity is lower in the
- 2 presence of the compound relative to in the absence of the compound, and wherein
- 3 the compound is identified as an inhibitor.
- 1 33. The method of Claim 31 wherein the enoyl reductase has the amino acid
- 2 sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:2
- 3 comprising a conservative amino acid substitution, SEQ ID NO:4, SEQ ID NO:4
- 4 comprising a conservative amino acid substitution, SEQ ID NO:6, SEQ ID NO:6
- 5 comprising a conservative amino acid substitution, SEQ ID NO:10, SEQ ID NO:10
- 6 comprising a conservative amino acid substitution, SEQ ID NO:12, SEQ ID NO:12
- 7 comprising a conservative amino acid substitution, SEQ ID.NO:14, SEQ ID NO:14
- 8 comprising a conservative amino acid substitution, SEQ ID NO:16, SEQ ID NO:16
- 9 comprising a conservative amino acid substitution, SEQ ID NO:18, SEQ ID NO:18
- 10 comprising a conservative amino acid substitution, SEQ ID NO:20, SEQ ID NO:20
- comprising a conservative amino acid substitution, SEQ ID NO:52, SEQ ID NO:52
- 12 comprising a conservative amino acid substitution, SEQ ID NO:54, SEQ ID NO:54
- 13 comprising a conservative amino acid substitution, SEQ ID NO:56, SEQ ID NO:56
- 14 comprising a conservative amino acid substitution, SEQ ID NO:50, and SEQ ID
- 15 NO:50 comprising a conservative amino acid substitution.
- 1 34. A method for identifying an agent that can bind to an enoyl reductase
- 2 comprising:
- 3 (a) contacting an enoyl reductase or active fragment thereof with a
- 4 compound; wherein said enoyl reductase comprises the amino acid sequence of SEQ
- 5 ID NO:45 and a flavin prosthetic group or the amino acid sequence of SEQ ID NO:57;

- 6 and
- 7 (b) determining if the compound binds to enoyl reductase; wherein a
- 8 compound is identified as an agent that binds the enoyl reductase when the compound
- 9 binds to the enoyl reductase.
- 1 35. The method of Claim 34 wherein the enoyl reductase has the amino acid
 - 2 sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:2
 - 3 comprising a conservative amino acid substitution, SEQ ID NO:4, SEQ ID NO:4
 - 4 comprising a conservative amino acid substitution, SEQ ID NO:6, SEQ ID NO:6
 - 5 comprising a conservative amino acid substitution, SEQ ID NO:10, SEQ ID NO:10
 - 6 comprising a conservative amino acid substitution, SEQ ID NO:12, SEQ ID NO:12
 - 7 comprising a conservative amino acid substitution, SEQ ID NO:14, SEQ ID NO:14
 - 8 comprising a conservative amino acid substitution, SEQ ID NO:16, SEQ ID NO:16
 - 9 comprising a conservative amino acid substitution, SEQ ID NO:18, SEQ ID NO:18
- 10 comprising a conservative amino acid substitution, SEQ ID NO:20, SEQ ID NO:20
- 11 comprising a conservative amino acid substitution, SEQ ID NO:52, SEQ ID NO:52
- 12 comprising a conservative amino acid substitution, SEQ ID NO:54, SEQ ID NO:54
- 13 comprising a conservative amino acid substitution, SEQ ID NO:56, SEQ ID NO:56
- 14 comprising a conservative amino acid substitution, SEQ ID NO:50, and SEQ ID
- 15 NO:50 comprising a conservative amino acid substitution.
- 1 36. A method for identifying a drug that inhibits bacterial growth comprising:
- 2 (a) administering the agent of Claim 31 to a bacterial cell;
- 3 (b) determining the growth of the cell; wherein an agent that inhibits the
- 4 growth of the cell relative to the growth in the absence of the agent is identified as a
- 5 drug that inhibits bacterial growth.
- 1 37. A pharmaceutical composition comprising the drug of Claim 36 and a
- 2 pharmaceutically acceptable carrier.
- 1 38. An isolated nucleic acid encoding a polypeptide comprising the amino acid
- 2 sequence of SEQ ID NO:57, wherein said polypeptide acts enzymatically as an enoyl.

- 3 reductase.
- 1 39. The isolated nucleic acid of Claim 38 wherein the polypeptide has an amino
- 2 acid sequence selected from the group consisting of SEQ ID NO:52 and SEQ ID
- 3 NO:52 comprising a conservative amino acid substitution.
- 1 40. An isolated polypeptide comprising the amino acid sequence of SEQ ID
- 2 NO:57, wherein said polypeptide acts enzymatically as an enoyl reductase.
- 1 41. The polypeptide of Claim 40 comprising an amino acid sequence selected
- 2 from the group consisting of SEQ ID NO:52 and SEQ ID NO:52 comprising a
- 3 conservative amino acid substitution.
- 1 42. A fusion protein comprising the polypeptide of Claim 40.
- 1 43. An antigenic fragment of the polypeptide of Claim 41.